



Model 機型		GD-1500H/NC
Working Range 加工範圍		
Hole Dia. 鑽孔孔徑		Ø3~Ø32
Max. Depth 鑽孔最大深度		1500mm
worktable area 工作台面積		1200*1700mm
T-slots T 型槽(寬*個*距)		22*06*300
Max. Loading capacity 工作台最大載重		7000kg
Travel 行程		
Table (L/R) 工作台 左、右 (X axis X 軸)		1500mm
Spindle Up/Down 主軸上下 (Y axis Y 軸)		1000mm
Front/Rear Feeding 前後進刀 (Z axis Z 軸)		1600mm
4th axis (A Axis) 輔助加工軸 (A axis 軸)		150 mm
Xaxis Ball screw for feeds X 軸進給滾珠螺桿		Ø63 x P10 x C3
Y axis Ball screw for feeds Y 軸進給滾珠螺桿		Ø50 x P10 x C3
Z axis Ball screw for feeds Z 軸進給滾珠螺桿		Ø40 x P10 x C3
A axis Ball screw for feeds A 軸進給滾珠螺桿		Ø40 x P10 x C3
Controller & Powers 控制器&動力		
Spindle Motor 主軸馬達	α6/5.5kw	AC Servo Spindle motor AC 主軸系統 5.5kw
Max. spindle speed 主軸轉速		6000 rpm
X axis Motor X 軸馬達	Ac22/4.0	AC Servo AC 伺服 4.0kw

Y axis Motor Y 軸馬達	αc22/4.0	AC Servo AC 伺服 4.0kw (with brake 附煞車)
Z axis Motor Z 軸馬達	Ac12/3.0	AC Servo Spindle motor AC 伺服 4.0kw
A axis Motor A 軸馬達	αc12/3.0	AC Servo AC 伺服 3.0kw
Controller System 控制器系統	發那科 Fanuc	CNC 絕對系統 Absolute System
	三菱 Mitsubishi	
	其它 Others Type	
Controller System 控制器系統	Min. setting unit 最小設定單位	0.001 mm
	Interface 介面	RS232
Drilling Feedrate Traverse 鑽孔進給速度		
Drill Speed 鑽孔進給速度	1~ 200 mm / min	
Special Drill Speed 特殊鑽孔進給速度	1~ 400 mm / min	
Rapid Traverse 押送		
Feeding Range 送料速度位移	1~5000mm/min	
Rapid Traverse 快速押送位移	1~6000mm/min	
Other Powers 其他動力		
High pressure motor 高壓切削油泵馬達	5.0 HP	
High pressure pump capacity 高壓切削油泵	Pump output 流量輸出 19 Liter / min	
	Max. pressure 最大壓力 100kg/c m ²	
	Coolant tank 油箱容量 1200 Liter	
Low pressure motor 低壓切削油泵馬達	7.5 HP	
Low pressure pump capacity 低壓切削油泵	Pump output 流量輸出 61 Liter / min	
	Max. pressure 最大壓力 15~40kg/c m ²	
	Coolant tank 油箱容量 1200 Liter	
Oil cooler cooling capacity 油冷卻機冷卻能力	7500~9000kcal/hr	
Chip conveyer motor 排屑機馬達	0.2kw	
Cutting oil percolation motor 切削油過濾馬達	3/4HP	
Machine Packing List 機械裝箱明細		
Machine dimensions 機械尺寸	5500*4500*3950	
Floor space 佔地面積	5500 x 4500 mm	
Machine Net weight 機械淨重	16000kg	
Accessories 附件		
Standard accessories 標準附件	1.High pressure coolant pump 高壓切削油泵	
	2.Automatic lubricator 自動注油器	

	3. Chip conveyor 鐵屑輸送機
	4. Tool box with tools 工具箱
	5. Paper Filter system 紙帶過濾機
	6. Coolant cooler 切削油冷凍機
Optional accessories 特別附件	1. Gundrill grinder 槍鑽研磨機
	2. 4th axis rotary table 回轉式工作台(4th 軸)
	3. Auxiliary Milling & Tapping Head [BT-40] 第二副主軸-銑床及攻牙
	4. All-enclosed splash guard 全罩式鉸金
	5. CE Certificate CE 認證

All details subject to change without prior notification.