


連續製袋包裝機

CONTINUOUS BAG PACKER, CP-200/250/350



PC-300D+CP-200+UPH 40

本公司獨特設計專用機，包材採用PE、PP等等，自動連續製袋包裝機
Special design packer for PE、PP'S films Automatic continuous bag packer.

優良產品：獲得更完美的保護，提高產品價值感

Your excellent products deserved a excellent bagging, not only for perfect protection, but also to maximize product value.

PE連續袋 CONTINUOUS PE BAGS



Economic Advertisement with Color Print.

· 開封騎縫線
Openable sewing line




特點

- 包裝完成，成品優美“親和力”，採用軟管製袋上、下兩端封口，中央無接縫更顯優雅。
- 袋尺寸可任意變換。
- 袋長更換只設定長度，而不須使用工具即可變換尺寸，袋寬更換只將需要寬度軟管更換即可。
- 各種類包裝袋，可經精緻的設計更獲得產品價值感。
- 印刷及無印刷兩種軟管均可用，印刷對照點採用光電檢視方式。
- 體積小操作簡單。
- 結構簡單、優良機能、操作簡易、不佔空間的自動包裝機。
- 可連動供料機及成品排出裝置、計數機、計量機、量杯輸送及供料自動填充裝置等。
- 最低廉彩色廣告。

FEATURES

- Excellent packed pouches are friendly to enduser: Plastic film tube to pack the goods with clear appearance.
- Changeable bag size: change the different film tube to get any size you want.
- Selected pouch to increase the value of packed products.
- Applicable both printed or without print bags.
- Small volume with easy operation.
- Feeder, conveyor, counter, weigher and volume cup are optional.
- Economic Advertisement with color print.

■ 印字裝置
Coding Unit



30×80mm以內空間，自由配置文字及數字採用特殊橡膠印，使用中更換容易。

■ 印字樣品袋
Coding Sample Bag



Printing area 30×80mm can be printed any figure and character, also Chinese characters.

供獻產業界自動化、省力化自動包裝機

Chen Shih Systems Contribute to the Automatic Packing Industry

安全裝置

- 包材不足，袋開口確認，防止封排卡異物，電熱線斷路等異常發生，機械自動停止，警示燈亮，蜂鳴器響。

選配

- 印字裝置，印刷對照光電開關
- 開封騎縫線
- 包成品排出輸送帶
- 設定製袋計數裝置
- 電腦式印標機

規格

電源電壓	單相 AC110V ± 10% 50/60Hz
消耗電力	1KW
氣壓	4~10Kgcm ²
包裝能力	8~12袋/分
袋尺寸	CP-200(W)80~200(L)100~200mm
	CP-250(W)80~200(L)100~250mm
	CP-350(W)100~250(L)200~400mm
厚度	0.05~0.1mm
機械尺寸	CP-200(W)550×(L)1310×(H)1000mm
	CP-250(W)550×(L)1310×(H)1050mm
	CP-350(W)600×(L)1400×(H)1100mm

SAFETY DEVICE

- Alarm of signal and buzzer will be on when shortage of materials, bag not properly opened, sealed or jammed etc. and machine will be off automatically.

OPTIONAL PARTS

- Print Unit and optic fiber sensors
- Open sewing line
- Finish pack conveyor
- Bags total counter/pre-set counter
- Computer Printer...

SPECIFICATIONS

Power	1 ϕ AC110V ± 10% 50/60HZ
Power Exhaust	1KW
Air Resource	4~10Kgcm ²
Speed	8~12Bag/min
Bag Size	CP-200(W)80~200(L)100~200mm
	CP-250(W)80~200(L)100~250mm
	CP-350(W)100~250(L)200~400mm
Thickness	0.05~0.1mm
Machine Size	CP-200(W)550×(L)1310×(H)1000mm
	CP-250(W)550×(L)1310×(H)1050mm
	CP-350(W)600×(L)1400×(H)1100mm

高效率、高準確計數包裝機

HIGH EFFICIENCY HIGH PRECISION COUNTER & PACKER

自動計量包裝機及電腦印標機
Automatic Weighing Machine &
Computer Printer

MWS-1000+CP-250



自動計數包裝機及印標機
Automatic Counting & Packing,
W/OUT PRENTER


PC-200HB-60-SPCL




連接本機使用例

Typical Combinations Of Model
CP-200 · 250 · 350 Packaging Machine
with Product Counting · Feed/Filler


圓盤式定量充填機及自動製袋包裝機
Rotary Cup Type Volumetric Filler and
Packaging Machine




螺旋式粉末定量自動充填製袋包裝機
Auger Type Filler for Powder and
Packaging Machine




製袋包裝機排出輸送帶電腦式計量機昇降送料機
Computer Type Weigher Machine with Elevator
Magnetic Feed/Filler



連接二極體選別機，計數、電腦印標機，自動製袋包裝機
Combinations, Counting, Computer Print, Packaging
Machine



五種小量混合自動計數包裝機
5 Different Small Parts Counting
for Automatic Packing Machine



加大企業股份有限公司

Apack Corporation

台中市北屯區崇興路一段72號

No.72, Sec. 1, Chung-Hsing Road,
Pei-Tun Dist., Taichung, Taiwan, ROC 406

TEL: +886-4-2233-7338

FAX: +886-4-2233-7567

※產品如有更改變動恕不另行通知

• We reserve the right to modify the specifications without notice.